



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA100) Micron Test Report

Rainbow Forest Acres/Barbara Eslake  
PO Box 1203, 7756 Owl Ridge Rd  
Mt Currie BC V0N 2K0 Canada

05/18/11

Test No: 402174


### Animal and Sample Description

**Animal Name:** Snowmass Revelation  
**Breed:** Alpaca(Huacaya)  
**Sex:** Male  
**Color:** White

**Animal ID:** XXXXX  
**Sample Location:** Side  
**Sample Date:** 05/01/11  
**Age:** 09/17/04

### Laboratory Data

<b>Mean Fiber Diameter:</b>	19.9 microns	<b>Spin Fineness:</b>	19.3 microns
<b>Standard Deviation:</b>	4.1 microns	<b>Mean Curvature (deg/mm):</b>	44.1
<b>Coefficient of Variation:</b>	20.4 %	<b>SD Curvature (deg/mm):</b>	21.9
<b>Fibers Greater Than 30 microns:</b>	1.4 %	<b>Comfort Factor:</b>	98.6 %
<b>Medullated Fibers:</b>	12.0 %		



This Test Performed According to I.W.T.O Method 47